

MARIA HÖHN**SELECTED PUBLICATIONS:**

TÓTH E. GY., VENDRAMIN, G. G., BAGNOLI, F, CSEKE K., **HÖHN M.** (2017): High genetic diversity and distinct origin of recently fragmented Scots pine (*Pinus sylvestris* L.) populations along the Carpathians and the Pannonian Basin. *Tree genetics & genomes* 13:(47) Available on-line. DOI:10.1007/s11295-017-1137-9 *IF(2016): 1,264*

KÖBÖLKUTI Z. A., TÓTH E. GY., LADÁNYI M., **HÖHN M.** (2017): Morphological and anatomical differentiation in peripheral *Pinus sylvestris* L. populations from the Carpathian region. *Dendrobiology* 77:105-117. *IF(2016): 0,776*

PLENK, K., BARDY, K., **HÖHN M.**, THIV, M , KROPF, M. (2017): No obvious genetic erosion, but evident relict status at the westernmost range edge of the Pontic-Pannonian steppe plant *Linum flavum* L. (Linaceae) in Central Europe. *Ecology and evolution*. Available on-line DOI. 10.1002/ece3.2990 *IF(2016): 2,44*

TÓTH E. GY., KÖBÖLKUTI Z., PEDRYC A., **HÖHN M.** (2017): Evolutionary history and phylogeography of Scots pine (*Pinus sylvestris* L.) in Europe based on molecular markers. *Journal of forest research*, Available on-line. <http://www.springerlink.com> *IF (2016): 0,776*

GYÖRGY ZS., VOUILLAMOZ, J. F., **HÖHN M.** (2016): Microsatellite markers reveal common East Alpine–Carpathian gene pool for the arctic–alpine *Rhodiola rosea* (Crassulaceae). *Plant Systematics and Evolution*. Available on-line. DOI: 10.1007/s00606-016-1302-x. *IF (2016):1,291.*

LENDVAY, B., KADEREIT, J. W., WESTBERG, E., CORNEJO, C., PEDRYC, A., **HÖHN M.** (2015): Phylogeography of *Syringa josikaea* (Oleaceae): Early Pleistocene divergence from East Asian relatives and survival in small populations in the Carpathians (Central Europe). *Biological Journal of the Linnean Society*. Available on-line. DOI:10.1111/bj.12499. *IF (2014): 2,53*

FRASER LH, PITHER J, JENTSCH A, STERNBERG M, ZOBEL M, ASKARIZADEH D, BARTHA S, BEIERKUHNLEIN C, BENNETT JA, BITTEL A, BOLDGIV B, BOLDRINI II, BORK E, BROWN L, CABIDO M, CAHILL J, CARLYLE CN, CAMPETELLA G, CHELLI S, COHEN O, CSERGO AM, DIAZ S, ENRICO L, ENSING D, FIDELIS A, FRIDLEY JD, FOSTER B, GARRIS H, GOHEEN JR, HENRY HAL, **HÖHN M**, JOURI MH, KLIRONOMOS J, KOOREM K, LAWRENCE-LODGE R, LONG RJ, MANNING P, MITCHELL R, MOORA M, MULLER SC, NABINGER C, NASERI K, OVERBECK GE, PALMER TM, PARSONS S, PESEK M, PILLAR VD, PRINGLE RM, ROCCAFORTE K, SCHMIDT A, SHANG ZH, STAHLMANN R, STOTZ GC, SUGIYAMA S, SZENTES S, THOMPSON D, TUNGALAG R, UNDRAKHBOLD S, VAN ROOYEN M, WELLSTEIN C, WILSON JB, ZUPO T (2015): Worldwide evidence of a unimodal relationship between productivity and plant species richness. *SCIENCE* 349:(6245) 302-305. *IF (2015): 34,66*

JARDA, L., BUTUC-KEUL, A., **HÖHN, M.**, PEDRYC, A., CRISTEA, A. (2014): Ex situ conservation of *Dianthus giganteus d'Urv. subsp. banaticus* (Heuff.) Tutin by in vitro culture and assessment of somaclonal variability by molecular markers. *Turkish Journal of Biology*. 38: 21-30. *IF (2013):1.216*

LENDVAY, B.; **HÖHN, M.**; BRODBECK, S.; MÎNDRESCU, M.; GUGERLI, F.(2014): Genetic structure in *Pinus cembra* from the Carpathian Mountains inferred from nuclear and chloroplast

microsatellites confirms post-glacial range contraction and identifies introduced individuals. *Tree Genetics and Genomes* 10:1419-1433. *IF (2013): 2,435*

CSERGŐ AM, HUFNAGEL L., **HÖHN, M.** (2014): Positive relationship between genetic- and species diversity on limestone outcrops in the Carpathian Mountains Ecological complexity. *20: 233-239. Five year IF : 2,484*

LENDVAY B., PEDRYC A., **HÖHN M.** (2013): Characterization of Nuclear Microsatellite Markers for the Narrow Endemic *Syringa josikaea* Jacq. fil. ex Rchb. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca.* 41(1):301-305. *IF (2012): 0.59*

BÁLINT J, BERGHARDT N., **HÖHN M.**, PÉNZES B., FAIL J., (2013): Does epidermal thickness influence white cabbage resistance against onion thrips (*Thrips tabaci*)? *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 41(2):444-449 *IF (2012): 0.59*

LENDVAY B., KOHUT E., **HÖHN M.** (2012): A Jósika-orgona – *Syringa josikaea* Jacq. fil. ex Rchb. történeti és aktuális elterjedése, az állományok ökológiai-természeti-jellemzése. *Kanitzia* 19: 27-58.

JAGER K., FÁBIÁN A., TOMPA G., DEÁK CS, **HÖHN M.**, OLMEDILLA, A., BARNABÁS B., PAPP I. (2011): New phenotypes of the drought tolerance *cbp20 Arabidopsis thaliana* mutant concern epidermal morphology. *Plant Biology (Stuttgart, Germany).* 13(1):78-84. *IF (2010): 2.200*

BODOR, P.; **HÖHN, M.**; PEDRYC, A.; DEAK, T.; DÜCSO, I.; UZUN, I.; CSEKE, K.; BÖHM, E. I.; BISZTRAY, G. D. (2010): Conservation value of the native Hungarian wild grape (*Vitis sylvestris* Gmel.) evaluated by microsatellite markers. *Vitis.* 49 (1): 23-27. *IF: 0.662*

HÖHN M., HUFNAGEL L., CSEKE K., VENDRAMIN, G.G. (2010): Current range characteristics of Swiss Stone pine (*Pinus cembra* L.) along the Carpathians characterized by chloroplast SSR markers. *Acta Biol. Hung.* 61(suppl): 61-68. *IF (2010): 0.793*

KOHUT E., **HÖHN M.**, (2010): A jósika orgona (*Syringa josikaea* Jacq. fil.) termőhelyi viszonyai Kárpátalján. *Acta Beregsasiensis.*10:55-67.

HÖHN M., GUGERLI, F., ABRAN P., BISZTRAY, GY, BUONAMICI, A., CSEKE K., HUFNAGEL L., QUINTELA-SABARÍS C., SEBASTIANI F., VENDRAMIN, G.G. (2009): Variation in the chloroplast DNA of Swiss stone pine (*Pinus cembra* L.) reflects contrasting post-glacial history of populations from the Carpathians and the Alps. *Journal of biogeography.* 36. 9: 1798-1806. *IF (2009) 4.087*

CSERGŐ, A.-M., SCHÖNSWETTER, P., MARA, GY., DEÁK, T., BOŞCAIU, N., **HÖHN, M.**, (2009): Genetic structure of peripheral, island-like populations: a case study of *Saponaria bellidifolia* Sm. (Caryophyllaceae) from Southeastern Carpathians. *Plant Syst. Evol.* 278. pp.33-41. *IF (2009) 1,410*

HÖHN M., ÁBRÁN P., VENDRAMIN, G.G. (2005): Genetic analysis of Swiss stone pine populations (*Pinus cembra* L. *subsp. cembra*) from the Carpathians using chloroplast microsatellites. *Acta Silv. Lign. Hung.* 1: 39-43

MÉSZÁROS S., HÖHN M. (2002): Species diversity and advancement of *Swertia* (*Gentianaceae*) ecological and morphological correlates. *Acta Bot. Hung.* 44 (3-4): 317-334.

Books and book chapters

HÖHN M. (1998): A Kelemen-havasok növényzetéről. Menthor kiadó. Marosvásárhely. p.1 - 114.

HÖHN M. (1998): Vascular flora of the Kelemen (Calimani) Mountains on side of the Maros (Mures) river drainage area. Könyvmelléklet. Menthor kiadó. Marosvásárhely. p. 1-36.

BODOR P, HÖHN M. (2012): Parti szőlő (*Vitis vulpina* L. {*V. riparia* Michx.}) és hibridjei. In: CSISZÁR Á. szerk. Inváziós növényfajok Magyarországon. Nyugat-Magyarországi Egyetem kiadó. Sopron. p. 75-81.

SOMOGYIG., BARINA Z., HÖHN M. (2013): A magyarországi tollas szegfűvek taxonómiai megítélésének természetvédelmi vonatkozásai. In: KÉZDY P szerk. Természetvédelem és kutatás a Sas-hegyen. Rosalia. 8: 293-306.